

P.O. BOX 424 Evart, MI 49631 800-382-4434 ext. 2200 (o) 231-372-5900(f) www.plmcorp.net

On-Site Lake Evaluation Record

Lake Name: Duck and Green Lakes

County: Grand Traverse

Evaluated by: Casey Shoaff Reviewed by: Bre Grabill Date: September 7,13 2018

Purpose of evaluation: End of season Survey

Evaluations Performed

Aquatic Vegetation Evaluation

- X Aquatic vegetation survey
- □ Aquatic vegetation brief check

Vegetation evaluation methods

- X Visual evaluation
- X Sample collection with rake
- □ Sonar profiling
- □ GPS-mapped sample locations

Water quality sampling

- _____ On-site (Temperature, DO, Secchi disk)
- ____ Water samples collected for

_____ analysis

- □ GPS data collection
 - □ Depth survey
 - □ Shoreline mapping
 - □ Reference point location
- □ Other _____

Overall Condition of Lake

- □ excellent (no problems or developing problems noted)
- X very good (Continue current program)
- □ fair (management required soon)
- poor (management needed as soon as possible)
- □ very poor (management action past due—IMMEDIATE response required)

Problems Noted

- X Growth of exotic plants
 - x Eurasian watermilfoil Duck Lake
 - x Phragmites
 - □ Starry stonewort
- □ Excessive growth of native plants (note plant species and mark locations on map)
- □ Excessive filamentous algae growth (mark location on map)
- □ Poor water clarity
- □ Blue-green algal blooms



P.O. BOX 424 Evart, MI 49631 800-382-4434 ext. 2200 (o) 231-372-5900(f) www.plmcorp.net

RECOMMENDATIONS

- X Monitoring Program:
- Continue monitoring program next season: x Yes, 🗆 No
- X Herbicide application: Continue Program Next Season Need for herbicide treatments next season: □ urgent, x serious, □ moderate, □ slight

SUMMARY

Duck Lake was surveyed throughout 2018 for control of Eurasian watermilfoil. The initial survey in June found isolated areas with EWM and treatment followed. The end of summer survey showed that treatment was very successful. EWM was identified in only a few areas on the lake during the end of summer survey and those areas were not in the original treatment area. A spring survey will be completed to see what areas will be in need of treatment.

Management of EWM is an annual requirement and using systemic herbicides to attack the root system of the EWM can assist in providing longer term control. Previous infestation beds need to be monitored regularly for annual new growth, in addition to surveying the entire lake for any new infestations. EWM can pop up quickly and spread quickly, so it is important to stay on top of the plants within Duck Lake. Now that the SAD is formed, treatments can take place quickly after infestations are found and the lake can be managed aggressively for exotic plants. The EWM was genetically tested in 2017 and confirmed as the exotic strand- EWM.

Phragmites was found in a few areas on the lake as well. Invasive Phragmites should be targeted for control in the future. Chemical spraying is known as the most appropriate control measure for Phrag.

Native plants were abundant throughout the lake and diversity was good. The treatment areas were heavily infested with native plant growth both pre and post treatment, evidence of the selectivity of EWM treatments. It is recommended to promote native plant diversity throughout the lake. Native plants are required for a healthy and thriving lake ecosystem and are encouraged as part of this management program. If natives do become a nuisance, management efforts should include raking beaches when possible or very isolated, minimal herbicide treatments can also be an option. There are a few areas on Duck Lake with native plants at nuisance levels.

Green Lake was surveyed in September 2018. This annual survey was done to identify any exotic plants in the lake as well as to track native plants. The survey found no EWM or other submersed exotic plants, but did find a few areas of Phragmites as well. The native plant community was thriving and numerous species were found throughout the lake. It is recommended to survey Green Lake annually to stay on top of any new introduction. In addition to the annual AVAS, it is recommended to have riparian eyes keep a look out on Green Lake and Duck Lake!

Please feel free to contact me with questions on your survey results of Green & Duck Lakes. Thank you for choosing to work with PLM!

Respectfully,


Ane Grabill

BreAnne Grabill, Environmental Scientist Northern Lakes Manager PLM Lake & Land Management Corp. North breg@plmcorp.net




PLM Lake & Land Management Corp. Northern Division

P.O. BOX 424 Evart, MI 49631 800-382-4434 ext. 2200 (o) 231-372-5900(f) www.plmcorp.net





EWM control on Duck Lake was successful in 2018, reducing the amount of coverage. No EWM was found on Green Lake in 2015-2018.



Graph 2: Native Plant Cumulative Coverage of Duck and Green Lakes

Native Plant populations are healthy and thriving in both lakes. Successful EWM treatments remove exotic species while promoting and maintaining native plant communities, which was successfully done in 2018.